<211> 22

## SEQUENCE LISTING

| <110>  | PESCHLE, Cesare  |    |
|--------|--|----|
| <120>  | COMPOSITIONS AND METHODS FOR GENERATING DIFFERENTIATED HUMAN CELLS   |    |
| <130>  | 9855-26U3  |    |
|        | Not Yet Assigned 2001-11-09  |    |
| <141>  | 2001-11-09   |    |
| <150>  | US 60/087,153  |    |
| <151>  | 1998-05-29   |    |
| <150>  | US 09/322,352  |    |
| <151>  | 1999-05-28   |    |
| <160>  | 10   |    |
| <170>  | PatentIn Ver. 2.1  |    |
| <210>  | 1  |    |
| <211>  |  |    |
| <212>  |  |    |
| <213>  | Artificial Sequence  |    |
| <220>  | The state of the s |    |
| <223>  | Description of Artificial Sequence: PCR Primer   |    |
| <400>  | 1  |    |
| aaaaco | etttt gttgettttg ga  | 22 |
|        |  |    |
| <210>  |  |    |
| <211>  |  |    |
| <212>  | Artificial Sequence  |    |
| (213)  | Artificial bequence  |    |
| <220>  |  |    |
| <223>  | Description of Artificial Sequence: PCR Primer   |    |
| <400>  | 2  |    |
| gaaat  | gggat tggtaaggat ga  | 22 |
|        |  |    |
| <210>  | 3  |    |

| <212> DNA  |       |
|--|-------|
| <213> Artificial Sequence  |       |
|  |       |
| <220>  |       |
| <223> Description of Artificial Sequence: PCR Primer   |       |
| •  |       |
| <400> 3  |       |
| aaaccaagac tagatagcgt ca   | 22    |
|  |       |
|  |       |
| <210> 4  |       |
| <211> 22   |       |
| <212> DNA  |       |
| <213> Artificial Sequence  |       |
| -  |       |
| <220>  |       |
| <pre>&lt;223&gt; Description of Artificial Sequence: PCR Primer</pre>  |       |
|  |       |
| <400> 4  |       |
| ttctcacata atcggggttc tt   | 22    |
|  | د. د. |
|  |       |
| <210> 5  |       |
| <211> 22   |       |
| <212> DNA  |       |
| <213> Artificial Sequence  |       |
|  |       |
| <220>  |       |
| <223> Description of Artificial Sequence: PCR Primer   |       |
|  |       |
| <400> 5  |       |
| gacaaggagt gtgaccactg aa   | 22    |
|  |       |
|  |       |
| <210> 6  |       |
| <211> 22   |       |
| <212> DNA  |       |
| <213> Artificial Sequence  |       |
| •  |       |
| <220>  |       |
| <223> Description of Artificial Sequence: PCR Primer   |       |
| and the second of the second o |       |
| <400> 6  |       |
| tgaagggaca ttgtgtgaga ag   | 22    |
|  |       |
|  |       |
| <210> 7  |       |
| <211> 24   |       |
|  |       |

\* \* \* \* 4

| <212> DNA   |    |
|---|----|
| <213> Artificial Sequence   |    |
|   |    |
| <220>   |    |
| <223> Description of Artificial Sequence: PCR Primer                  |    |
|   |    |
| <400> 7   |    |
| gagtccttct ttgggagata gtga  | 24 |
| gagteettet tigggagata giga  | 24 |
|   |    |
| .010. 0   |    |
| <210> 8   |    |
| <211> 24  |    |
| <212> DNA   |    |
| <213> Artificial Sequence   |    |
|   |    |
| <220>   |    |
| <223> Description of Artificial Sequence: PCR Primer                  |    |
|   |    |
| <400> 8   |    |
| gtcagactgg tcacaggtta gaca  | 24 |
|   |    |
|   |    |
| <210> 9   |    |
| <211> 24  |    |
| <212> DNA   |    |
| <213> Artificial Sequence   |    |
| •   |    |
| <220>   |    |
| <pre>&lt;223&gt; Description of Artificial Sequence: PCR Primer</pre> |    |
| vano, poporthorom or morrorar poducine, rem remer                     |    |
| <400> 9   |    |
| catttttgca gagaacaaca tagg  | 24 |
| catttttgca gagaacaaca tagg  | 21 |
|   |    |
| -010- 10  |    |
| <210> 10  |    |
| <211> 24  |    |
| <212> DNA   |    |
| <213> Artificial Sequence   |    |
|   |    |
| <220>   |    |
| <223> Description of Artificial Sequence: PCR Primer                  |    |
|   |    |
| <400> 10  |    |
| tcaagcactg gataaattgt agga  | 24 |